

Methodology Documentation

This methodology document corresponds to the Colorado Health Institute (CHI) report "A Story in the Data: Disaggregating Colorado's Data Systems to Understand Behavioral Health within the Hispanic or Latino Community." In this report, CHI analyzed four behavioral health conditions, including depression, anxiety, bipolar disorder, and substance use disorder.

Diagnoses codes for the four behavioral health conditions followed parameters outlined by the Colorado Health Observation Regional Database Service. The <u>International Statistical Classification of Diseases and Related Health Problems (ICD)-10</u> and ICD-9 diagnosis codes included in each behavioral health condition are listed in the following sections.

Behavioral Health Condition Definitions

Depression Diagnoses Codes

| Code | Code | Description |
|-------|--------|---|
| Type | | |
| ICD-9 | 296.20 | Major depression, single episode, unspecified |
| ICD-9 | 296.21 | Major depression, single episode, mild |
| ICD-9 | 296.22 | Major depression, single episode, moderate |
| ICD-9 | 296.23 | Major depression, single episode, severe without psychosis |
| ICD-9 | 296.24 | Major depression, single episode, severe with psychosis |
| ICD-9 | 296.25 | Major depression, single episode, in partial remission |
| ICD-9 | 296.26 | Major depression, single episode, in full remission |
| ICD-9 | 296.30 | Major depression, recurrent, unspecified |
| ICD-9 | 296.31 | Major depression, recurrent, mild |
| ICD-9 | 296.32 | Major depression, recurrent, moderate |
| ICD-9 | 296.33 | Major depression, recurrent, severe without psychosis |
| ICD-9 | 296.34 | Major depression, recurrent, severe with psychosis |
| ICD-9 | 296.35 | Major depression, recurrent, in partial remission |
| ICD-9 | 296.36 | Major depression, recurrent, in full remission |
| ICD-9 | 296.51 | Bipolar I disorder, most recent episode (or current) depressed, mild |
| ICD-9 | 296.52 | Bipolar I disorder, most recent episode (or current) depressed, moderate |
| ICD-9 | 296.53 | Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior |
| ICD-9 | 296.54 | Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior |
| ICD-9 | 286.55 | Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission |
| ICD-9 | 296.56 | Bipolar I disorder, most recent episode (or current) depressed, in full remission |
| ICD-9 | 296.60 | Bipolar I disorder, most recent episode (or current) mixed, unspecified |
| ICD-9 | 296.61 | Bipolar I disorder, most recent episode (or current) mixed, mild |
| ICD-9 | 296.62 | Bipolar I disorder, most recent episode (or current) mixed, moderate |



| ICD-9 | 296.63 | Bipolar I disorder, most recent episode (or current) mixed, severe, without |
|--------|--------|--|
| | | mention of psychotic behavior |
| ICD-9 | 296.64 | Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior |
| ICD-9 | 296.65 | Bipolar I disorder, most recent episode (or current) mixed, in partial of unspecified remission |
| ICD-9 | 296.66 | Bipolar I disorder, most recent episode (or current) mixed, in full remission |
| ICD-9 | 296.89 | Other bipolar disorders |
| ICD-9 | 298.0 | Depressive type psychosis* |
| ICD-9 | 300.4 | Dysthymia |
| ICD-9 | 301.12 | Chronic depressive personality disorder |
| ICD-9 | 309.0 | Adjustment disorder with depressed mood |
| ICD-9 | 309.1 | Prolonged depressive reaction* |
| ICD-9 | 311 | Depressive disorder NOS |
| ICD-10 | F31.30 | Bipolar disorder, current episode depressed, mild of moderate severity, unspecified |
| ICD-10 | F31.31 | Bipolar disorder, current episode depressed, mild |
| ICD-10 | F31.32 | Bipolar disorder, current episode depressed, moderate |
| ICD-10 | F31.4 | Bipolar disorder, current episode depressed, severe, without psychotic features |
| ICD-10 | F31.5 | Bipolar disorder, current episode depressed, severe, with psychotic features |
| ICD-10 | F31.60 | Bipolar disorder, current episode mixed, unspecified |
| ICD-10 | F31.61 | Bipolar disorder, current episode mixed, mild |
| ICD-10 | F31.62 | Bipolar disorder, current episode mixed, moderate |
| ICD-10 | F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features |
| ICD-10 | F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features |
| ICD-10 | F31.75 | Bipolar disorder, in partial remission, most recent episode depressed |
| ICD-10 | F31.76 | Bipolar disorder, in full remission, most recent episode depressed |
| ICD-10 | F31.77 | Bipolar disorder, in partial remission, most recent episode mixed |
| ICD-10 | F31.78 | Bipolar disorder, in full remission, most recent episode mixed |
| ICD-10 | F31.81 | Bipolar II disorder |
| ICD-10 | F32.0 | Major depressive disorder, single episode, mild |
| ICD-10 | F32.1 | Major depressive disorder, single episode, moderate |
| ICD-10 | F32.2 | Major depressive disorder, single episode, severe without psychotic features |
| ICD-10 | F32.3 | Major depressive disorder, single episode, severe with psychotic features |
| ICD-10 | F32.4 | Major depressive disorder, single episode, in partial remission |
| ICD-10 | F32.5 | Major depressive disorder, single episode, in full remission |
| ICD-10 | F32.9 | Major depressive disorder, single episode, unspecified |
| ICD-10 | F33.0 | Major depressive disorder, recurrent, mild |
| ICD-10 | F33.1 | Major depressive disorder, recurrent, moderate |
| ICD-10 | F33.2 | Major depressive disorder, recurrent severe without psychotic features |
| ICD-10 | F33.3 | Major depressive disorder, recurrent, severe with psychotic symptoms |
| ICD-10 | F33.40 | Major depressive disorder, recurrent, in remission, unspecified |
| ICD-10 | F33.41 | Major depressive disorder, recurrent, in partial remission |
| ICD-10 | F33.42 | Major depressive disorder, recurrent, in full remission |
| ICD-10 | F33.8 | Other recurrent depressive disorders |
| ICD-10 | F33.9 | Major depressive disorder, recurrent, unspecified |



| ICD-10 | F34.1 | Dysthymic disorder |
|--------|--------|---|
| ICD-10 | F43.21 | Adjustment disorder with depressed mood |
| ICD-10 | F43.23 | Adjustment disorder with mixed anxiety and depressed mood |

Anxiety Diagnosis Codes

| Code Type | Code | Description |
|--------------|---------|---|
| ICD-9 | 293.84 | Anxiety disorder in conditions classified elsewhere, other |
| ICD-9 | 300.00 | Anxiety state, unspecified |
| ICD-9 | 300.01 | Panic disorder without agoraphobia |
| ICD-9 | 300.02 | Generalized anxiety disorder |
| ICD-9 | 300.09 | Other anxiety states |
| ICD-9 | 300.10 | Hysteria, unspecified |
| ICD-9 | 300.20 | Phobia, unspecified |
| ICD-9 | 300.21 | Agoraphobia with panic disorder |
| ICD-9 | 300.22 | Agoraphobia without mention of panic attacks |
| ICD-9 | 300.23 | Social phobia |
| ICD-9 | 300.29 | Other isolated or specific phobias |
| ICD-9 | 300.3 | Obsessive-compulsive disorder |
| ICD-9 | 300.5 | Neurasthenia |
| ICD-9 | 300.89 | Other somatoform disorders |
| ICD-9 | 300.9 | Unspecified nonpsychotic mental disorder |
| ICD-9 | 308.0 | Predominant disturbance of emotions |
| ICD-9 | 308.1 | Predominant disturbance of consciousness |
| ICD-9 | 308.2 | Predominant psychomotor disturbance |
| ICD-9 | 308.3 | Other acute reactions to stress |
| ICD-9 | 308.4 | Mixed disorders as reaction to stress |
| ICD-9 | 308.9 | Unspecified acute reaction to stress |
| ICD-9 | 309.81 | Prolonged depressive reaction* |
| ICD-9 | 313.0 | Overanxious disorder specific to childhood and adolescence |
| ICD-9 | 313.1 | Misery and unhappiness disorder specific to childhood and adolescence |
| ICD-9 | 313.21 | Shyness disorder of childhood |
| ICD-9 | 313.22 | Introverted disorder of childhood |
| ICD-9 | 313.3 | Relationship problems specific to childhood and adolescence |
| ICD-9 | 313.82 | Identity disorder of childhood or adolescence |
| ICD-9 | 313.83 | Academic underachievement disorder of childhood or adolescence |
| ICD-10 | F06.4 | Anxiety disorder due to known physiological condition |
| ICD-10 | F40.00 | Agoraphobia, unspecified |
| ICD-10 | F40.01 | Agoraphobia with panic disorder |
| ICD-10 | F40.02 | Agoraphobia without panic disorder |
| ICD-10 | F40.10 | Social phobia, unspecified |
| ICD-10 | F40.11 | Social phobia, generalized |
| ICD-10 | F40.210 | Arachnophobia |
| ICD-10 | F40.218 | Other animal type phobia |



| ICD-10 | F40.220 | Fear of thunderstorms |
|--------|---------|---|
| ICD-10 | F40.228 | Other natural environment type phobia |
| ICD-10 | F40.230 | Fear of blood |
| ICD-10 | F40.231 | Fear of injections and transfusions |
| ICD-10 | F40.232 | Fear of other medical care |
| ICD-10 | F40.233 | Fear of injury |
| ICD-10 | F40.240 | Claustrophobia |
| ICD-10 | F40.241 | Acrophobia |
| ICD-10 | F40.242 | Fear of bridges |
| ICD-10 | F40.243 | Fear of flying |
| ICD-10 | F40.248 | Other situational type phobia |
| ICD-10 | F40.290 | Androphobia |
| ICD-10 | F40.291 | Gynephobia |
| ICD-10 | F40.298 | Other specified phobia |
| ICD-10 | F40.8 | Other phobic anxiety disorders |
| ICD-10 | F40.9 | Phobic anxiety disorder, unspecified |
| ICD-10 | F41.0 | Panic disorder [episodic paroxysmal anxiety] |
| ICD-10 | F41.1 | Generalized anxiety disorder |
| ICD-10 | F41.3 | Other mixed anxiety disorders |
| ICD-10 | F41.8 | Other specified anxiety disorders |
| ICD-10 | F41.9 | Anxiety disorder, unspecified |
| ICD-10 | F42 | Obsessive-compulsive disorder |
| ICD-10 | F42.2 | Mixed obsessional thoughts and acts |
| ICD-10 | F42.3 | Hoarding disorder |
| ICD-10 | F42.4 | Excoriation (skin-picking) disorder |
| ICD-10 | F42.8 | Other obsessive-compulsive disorder |
| ICD-10 | F42.9 | Obsessive-compulsive disorder, unspecified |
| ICD-10 | F43.0 | Acute stress reaction |
| ICD-10 | F43.10 | Post-traumatic stress disorder, unspecified |
| ICD-10 | F43.11 | Post-traumatic stress disorder, acute |
| ICD-10 | F43.12 | Post-traumatic stress disorder, chronic |
| ICD-10 | F44.9 | Dissociative and conversion disorder, unspecified |
| ICD-10 | F45.8 | Other somatoform disorders |
| ICD-10 | F48.8 | Other specified nonpsychotic mental disorders |
| ICD-10 | F48.9 | Nonpsychotic mental disorders, unspecified |
| ICD-10 | F93.8 | Other childhood emotional disorders |
| ICD-10 | F99 | Mental disorder, not otherwise specified |
| ICD-10 | R45.2 | Unhappiness |
| ICD-10 | R45.5 | Hostility |
| ICD-10 | R45.6 | Violent behaviors |
| ICD-10 | R45.7 | State of emotional shock and stress, unspecified |



Bipolar Disorder Diagnoses Codes

| Code Type | Code | Description |
|--------------|--------|---|
| ICD-9 | 296.00 | Bipolar I disorder, single manic episode, unspecified |
| ICD-9 | 296.01 | Bipolar I disorder, single manic episode, mild |
| ICD-9 | 296.02 | Bipolar I disorder, single manic episode, moderate |
| ICD-9 | 296.03 | Bipolar I disorder, single manic episode, severe, without mention of psychotic behaviors |
| ICD-9 | 296.04 | Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior |
| ICD-9 | 296.05 | Bipolar I disorder, single manic episode, in partial or unspecified remission |
| ICD-9 | 296.06 | Bipolar I disorder, single manic episode, in full remission |
| ICD-9 | 296.10 | Manic affective disorder, recurrent episode, unspecified |
| ICD-9 | 296.11 | Manic affective disorder, recurrent episode, mild |
| ICD-9 | 296.12 | Manic affective disorder, recurrent episode, moderate |
| ICD-9 | 296.13 | Manic affective disorder, recurrent episode, severe, without mention of psychotic behavior |
| ICD-9 | 296.14 | Manic affective disorder, recurrent episode, severe, specified as with psychotic behavior |
| ICD-9 | 296.15 | Manic affective disorder, recurrent episode, in partial or unspecified remission |
| ICD-9 | 296.16 | Manic affective disorder, recurrent episode, in full remission |
| ICD-9 | 296.40 | Bipolar I disorder, most recent episode (or current) manic, unspecified |
| ICD-9 | 296.41 | Bipolar I disorder, most recent episode (or current) manic, mild |
| ICD-9 | 296.42 | Bipolar I disorder, most recent episode (or current) manic, moderate |
| ICD-9 | 296.43 | Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behaviors |
| ICD-9 | 296.44 | Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior |
| ICD-9 | 296.45 | Bipolar I disorder, most recent episode (or current) manic,, in partial or unspecified remission |
| ICD-9 | 296.46 | Bipolar I disorder, most recent episode (or current) manic, in full remission |
| ICD-9 | 296.50 | Bipolar I disorder, most recent episode (or current) depressed, unspecified |
| ICD-9 | 296.51 | Bipolar I disorder, most recent episode (or current) depressed, mild |
| ICD-9 | 296.52 | Bipolar I disorder, most recent episode (or current) depressed, moderate |
| ICD-9 | 296.53 | Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior |
| ICD-9 | 296.54 | Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behaviors |
| ICD-9 | 296.55 | Bipolar I disorder, most recent episode (or current) depressed, in partial of unspecified remission |
| ICD-9 | 296.56 | Bipolar I disorder, most recent episode (or current) depressed, in full remission |
| ICD-9 | 296.60 | Bipolar I disorder, most recent episode (or current) mixed, unspecified |
| ICD-9 | 296.61 | Bipolar I disorder, most recent episode (or current) mixed, mild |
| ICD-9 | 296.62 | Bipolar I disorder, most recent episode (or current) mixed, moderate |
| ICD-9 | 296.63 | Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior |



| ICD-9 | 296.64 | Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior |
|--------|--------|--|
| ICD-9 | 296.65 | Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission |
| ICD-9 | 296.66 | Bipolar I disorder, most recent episode (or current) mixed, in full remission |
| ICD-9 | 296.7 | Bipolar I disorder, most recent episode (or current) unspecified |
| ICD-9 | 296.80 | Bipolar disorder, unspecified |
| ICD-9 | 296.81 | Atypical manic disorder |
| ICD-9 | 296.82 | Atypical depressive disorder |
| ICD-9 | 296.89 | Other bipolar disorders |
| ICD-9 | 296.90 | Unspecified episodic mood disorder |
| ICD-9 | 296.99 | Other specified episodic mood disorder |
| ICD-10 | F30.10 | Manic episode without psychotic symptoms, unspecified |
| ICD-10 | F30.11 | Manic episode without psychotic symptoms, mild |
| ICD-10 | F30.12 | Manic episode without psychotic symptoms, moderate |
| ICD-10 | F30.13 | Manic episode, severe, without psychotic symptoms |
| ICD-10 | F30.2 | Manic episode, severe, with psychotic symptoms |
| ICD-10 | F30.3 | Manic episode in partial remission |
| ICD-10 | F30.4 | Manic episode in full remission |
| ICD-10 | F30.8 | Other manic episodes |
| ICD-10 | F30.9 | Manic episode, unspecified |
| ICD-10 | F31.0 | Bipolar disorder, current episodic hypomanic |
| ICD-10 | F31.10 | Bipolar disorder, current episode manic without psychotic features, unspecified |
| ICD-10 | F31.11 | Bipolar disorder, current episode manic without psychotic features, mild |
| ICD-10 | F31.12 | Bipolar disorder, current episode manic without psychotic features, moderate |
| ICD-10 | F31.13 | Bipolar disorder, current episode manic without psychotic features, severe |
| ICD-10 | F31.2 | Bipolar disorder, current episode manic severe with psychotic features |
| ICD-10 | F31.30 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| ICD-10 | F31.31 | Bipolar disorder, current episode depressed, mild |
| ICD-10 | F31.32 | Bipolar disorder, current episode depressed, moderate |
| ICD-10 | F31.4 | Bipolar disorder, current episode depressed, severe, without psychotic features |
| ICD-10 | F31.5 | Bipolar disorder, current episode depressed, severe, with psychotic features |
| ICD-10 | F31.60 | Bipolar disorder, current episode mixed, unspecified |
| ICD-10 | F31.61 | Bipolar disorder, current episode mixed, mild |
| ICD-10 | F31.62 | Bipolar disorder, current episode mixed, moderate |
| ICD-10 | F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features |
| ICD-10 | F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features |
| ICD-10 | F31.70 | Bipolar disorder, currently in remission, most recent episode, unspecified |
| ICD-10 | F31.71 | Bipolar disorder, in partial remission, most recent episode hypomanic |
| ICD-10 | F31.72 | Bipolar disorder, in full remission, most recent episode hypomanic |
| ICD-10 | F31.73 | Bipolar disorder, in partial remission, most recent episode manic |
| ICD-10 | F31.74 | Bipolar disorder, in full remission, most recent episode manic |
| ICD-10 | F31.75 | Bipolar disorder, in partial remission, most recent episode depressed |
| ICD-10 | F31.76 | Bipolar disorder, in full remission, most recent episode depressed |
| ICD-10 | F31.77 | Bipolar disorder, in partial remission, most recent episode mixed |
| ICD-10 | F31.78 | Bipolar disorder, in full remission, most recent episode mixed |



| ICD-10 | F31.81 | Bipolar II disorder |
|--------|--------|---|
| ICD-10 | F31.89 | Other bipolar disorder |
| ICD-10 | F31.9 | Bipolar disorder, unspecified |
| ICD-10 | F33.8 | Other recurrent depressive disorders |
| ICD-10 | F34.81 | Disruptive mood dysregulation disorder |
| ICD-10 | F34.89 | Other specified persistent mood disorders |
| ICD-10 | F34.9 | Persistent mood [affective] disorder, unspecified |
| ICD-10 | F39 | Unspecified mood [affective] disorder |

Substance Use Disorder Diagnosis Codes

| Code Type | Diagnosis Code | Description |
|--------------|-------------------|--|
| ICD-9 | 304.0 | Opioid type dependence |
| ICD-9 | 304.00 | Opioid type dependence, unspecified |
| ICD-9 | 304.01 | Opioid type dependence, continuous |
| ICD-9 | 304.02 | Opioid type dependence, episodic |
| ICD-9 | 304.7 | Combinations of opioid drug type with any other drug dependence |
| ICD-9 | 304.70 | Combinations of opioid type drug with any other drug dependence, unspecified |
| ICD-9 | 304.71 | Combinations of opioid type drug with any other drug dependence, continuous |
| ICD-9 | 304.72 | Combinations of opioid type drug with any other drug dependence, episodic |
| ICD-9 | 305.5 | Opioid abuse |
| ICD-9 | 305.50 | Opioid abuse, unspecified |
| ICD-9 | 305.51 | Opioid abuse, continuous |
| ICD-9 | 305.52 | Opioid abuse, episodic |
| ICD-9 | 760.72 | Narcotics affecting fetus or newborn via placenta or breast milk |
| ICD-9 | 965.0 | Poisonings by opiates and related narcotics |
| ICD-9 | 965.00 | Poisonings by opium, unspecified |
| ICD-9 | 965.01 | Poisonings by heroin |
| ICD-9 | 965.02 | Poisonings by methadone |
| ICD-9 | 965.09 | Poisoning by other opiate and related narcotic |
| ICD-9 | E85.00 | Accidental poisoning by heroin |
| ICD-9 | E85.01 | Accidental poisoning by methadone |
| ICD-9 | E85.02 | Accidental opiate poisoning (excludes heroin and methadone) |
| ICD-9 | E935.0 | Adverse effects of heroin |
| ICD-9 | E935.1 | Adverse effects of methadone |
| ICD-10 | F11.10 | Opioid abuse, uncomplicated |
| ICD-10 | F11.120 | Opioid abuse with intoxication, uncomplicated |
| ICD-10 | F11.121 | Opioid abuse with intoxication delirium |
| ICD-10 | F11.122 | Opioid abuse with intoxication with perceptual disturbance |
| ICD-10 | F11.1129 | Opioid abuse with intoxication, unspecified |
| ICD-10 | F11.14 | Opioid abuse with opioid-induced mood disorder |
| ICD-10 | F11.150 | Opioid abuse with opioid-induced psychotic disorder with delusions |
| ICD-10 | F11.151 | Opioid abuse with opioid-induced psychotic disorder with hallucinations |
| ICD-10 | F11.159 | Opioid abuse with opioid-induced psychotic disorder, unspecified |



| ICD-10 | F11.181 | Opioid abuse with other opioid-induced sexual dysfunction |
|------------------|--------------------|---|
| ICD-10 | F11.182 | Opioid abuse with opioid-induced sleep disorder |
| ICD-10 | F11.188 | Opioid abuse with opioid-induced sleep disorder Opioid abuse with other opioid-induced disorder |
| ICD-10 | F11.19 | Opioid abuse with unspecified opioid-induced disorder |
| ICD-10 | F11.19 | · |
| | F11.20 | Opioid dependence, uncomplicated |
| ICD-10 | F11.220 | Opioid dependence with intoxication, uncomplicated |
| ICD-10 | F11.221 | Opioid dependence with intoxication delirium |
| | | Opioid dependence with intoxication with perceptual disturbance |
| ICD-10 | F11.229 | Opioid dependence with intoxication, unspecified Opioid dependence with withdrawal |
| | F11.23 | |
| ICD-10 | F11.24 | Opioid dependence with opioid-induced mood disorder |
| ICD-10 | F11.250 | Opioid dependence with opioid-induced psychotic disorder with delusions |
| ICD-10 | F11.251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| ICD-10 | F11.259 | Opioid dependence with opioid-induced psychotic disorder, unspecified |
| ICD-10 | F11.281 | Opioid dependence with other opioid-induced sexual dysfunctions |
| ICD-10 | F11.282 | Opioid dependence with opioid-induced sleep disorder |
| ICD-10 | F11.288 | Opioid dependence with other opioid-induced disorder |
| ICD-10 | F11.29 | Opioid dependence with unspecified opioid-induced disorder |
| ICD-10 | F11.90 | Opioid use, unspecified, uncomplicated |
| ICD-10 | F11.920 | Opioid use, unspecified with intoxication, uncomplicated |
| ICD-10 | F11.921 | Opioid use, unspecified with intoxication delirium |
| ICD-10 | F11.922 | Opioid use, unspecified with intoxication with perceptual disturbance |
| ICD-10 | F11.929 | Opioid use, unspecified with intoxication, unspecified |
| ICD-10 | F11.93 | Opioid use, unspecified with withdrawal |
| ICD-10 ICD-10 | F11.94 | Opioid use, unspecified with opioid-induced mood disorder |
| ICD-10 | F11.950 F11.951 | Opioid use, unspecified with opioid-induced psychotic disorder with delusions Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations |
| ICD-10 | F11.951 | Opioid use, unspecified with opioid-induced psychotic disorder, unspecified |
| ICD-10 | F11.981 | Opioid use, unspecified with opioid-induced sexual dysfunctions |
| ICD-10 | F11.982 | Opioid use, unspecified with opioid-induced sleep disorder |
| ICD-10 | F11.988 | Opioid use, unspecified with other opioid-induced disorder |
| ICD-10 | F11.99 | Opioid use, unspecified with unspecified opioid-induced disorder |
| ICD-10 | T40.0X1A | Poisoning by opium, accidental (unintentional), initial encounter |
| ICD-10 | T40.0X2A | Poisoning by opium, intentional self-harm, initial encounter |
| ICD-10 | T40.0X3A | Poisoning by opium, assault, initial encounter |
| ICD-10 | T40.0X4A | Poisoning by opium, undetermined, initial encounter |
| ICD-10 | T40.1X1A | Poisoning by heroin, accidental (unintentional), initial encounter |
| ICD-10 | T40.1X2A | Poisoning by heroin, intentional self-harm, initial encounter |
| ICD-10 | T40.1X3A | Poisoning by heroin, assault, initial encounter |
| ICD-10 | T40.1X4A | Poisoning by heroin, undetermined, initial encounter |
| ICD-10 | T40.2X1A | Poisoning by other opioids, accidental (unintentional), initial encounter |
| ICD-10 | T40.2X2A | Poisoning by other opioids, intentional self-harm, initial encounter |
| ICD-10 | T40.2X3A | Poisoning by other opioids, assault, initial encounter |
| ICD-10 | T40.2X4A | Poisoning by other opioids, undetermined, initial encounter |
| ICD-10 | T40.3X1A | Poisoning by methadone, accidental (unintentional), initial encounter |
| ICD-10 | T40.3X2A | Poisoning by methadone, intentional self-harm, initial encounter |
| 100 10 | 170.3/2/ | 1 oldstring by mediadone, mediadonal ser harm, initial encounter |



| ICD-10 T-1 | 40.3X3A 40.3X4A 40.3X5A 40.4X1A 40.4X2A 40.4X3A 40.4X3A 40.4X4A 40.411A | Poisoning by methadone, assault, initial encounter Poisoning by methadone, undetermined, initial encounter Adverse effects of methadone, initial encounter Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter Poisoning by other synthetic narcotics, intentional self-harm, initial encounter Poisoning by other synthetic narcotics, assault, initial encounter Poisoning by other synthetic narcotics, undetermined, initial encounter Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter |
|--|---|--|
| ICD-10 T-1 ICD-10 T-1 ICD-10 T-1 ICD-10 T-1 ICD-10 T-1 ICD-10 T-1 | 40.3X5A 40.4X1A 40.4X2A 40.4X3A 40.4X3A 40.4X4A 40.411A | Adverse effects of methadone, initial encounter Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter Poisoning by other synthetic narcotics, intentional self-harm, initial encounter Poisoning by other synthetic narcotics, assault, initial encounter Poisoning by other synthetic narcotics, undetermined, initial encounter Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter |
| ICD-10 T-1 ICD-10 ICD-1 | 40.4X1A 40.4X2A 40.4X3A 40.4X4A 40.411A | Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter Poisoning by other synthetic narcotics, intentional self-harm, initial encounter Poisoning by other synthetic narcotics, assault, initial encounter Poisoning by other synthetic narcotics, undetermined, initial encounter Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter |
| ICD-10 To ICD-10 | 40.4X2A 40.4X3A 40.4X4A 40.411A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter Poisoning by other synthetic narcotics, assault, initial encounter Poisoning by other synthetic narcotics, undetermined, initial encounter Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter |
| ICD-10 T4 ICD-10 T4 | 40.4X3A 40.4X4A 40.411A | Poisoning by other synthetic narcotics, assault, initial encounter Poisoning by other synthetic narcotics, undetermined, initial encounter Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter |
| ICD-10 T4 | 40.4X4A 40.411A | Poisoning by other synthetic narcotics, undetermined, initial encounter Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter |
| ICD-10 T | 40.411A | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter |
| | | encounter |
| | 40.412A | |
| ICD-10 T | | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter |
| ICD-10 T | 40.413A | Poisoning by fentanyl or fentanyl analogs, assault, initial encounter |
| ICD-10 T | 40.414A | Poisoning by fentanyl or fentanyl analogs, undetermined, initial encounter |
| ICD-10 T | 40.415A | Adverse effect of fentanyl or fentanyl analogs, initial encounter |
| ICD-10 T | 40.421A | Poisoning by tramadol, accidental (unintentional), initial encounter |
| ICD-10 T | 40.422A | Poisoning by tramadol, intentional self-harm, initial encounter |
| ICD-10 T | 40.423A | Poisoning by tramadol, assault, initial encounter |
| ICD-10 T | 40.424A | Poisoning by tramadol, undetermined, initial encounter |
| ICD-10 T | 40.425A | Adverse effect of tramadol, initial encounter |
| | 40.491A | Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter |
| ICD-10 T | 40.492A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter |
| ICD-10 T | 40.493A | Poisoning by other synthetic narcotics, assault, initial encounter |
| ICD-10 T | 40.494A | Poisoning by other synthetic narcotics, undetermined, initial encounter |
| ICD-10 T | 40.495A | Adverse effect of other synthetic narcotics, initial encounter |
| ICD-10 T | 40.601A | Poisoning by unspecified narcotics, accidental (unintentional), initial encounter |
| ICD-10 T | 40.602A | Poisoning by unspecified narcotics, intentional self-harm, initial encounter |
| ICD-10 T | 40.603A | Poisoning by unspecified narcotics, assault, initial encounter |
| ICD-10 T | 40.604A | Poisoning by unspecified narcotics, undetermined, initial encounter |
| ICD-10 T | 40.691A | Poisoning by other narcotics, accidental (unintentional), initial encounter |
| ICD-10 T | 40.692A | Poisoning by other narcotics, intentional self-harm, initial encounter |
| ICD-10 T | 40.693A | Poisoning by other narcotics, assault, initial encounter |
| ICD-10 T | 40.694A | Poisoning by other narcotics, undetermined, initial encounter |

